AUTO-GUARD
CURTAIN WALLS

CATALOG

CURTAIN WALLS

STEEL GUARD SPECIAL FORMULA

VINYL CLEANER AND PRESERVER

CONTAINS NO FLUOROCARBONS

NET WEIGHT 15 OZ

CAUTION! CONTENTS UNDER PRESSURE
SEE CAUTION REVERSE SIDE

Special Offer!

Free Spray Vinyl Cleaner and Preserver!*

*On Auto-Guard Curtain systems of $500 or more.

**Limit one per customer per order

16 ounce
STEEL-SCRIM™ VINYL

Polyvinyl Chloride (PVC)

Scrim

Polyvinyl Chloride (PVC)

Proprietary Tri-Lateral Scrim Design
Tensile Strength: 406 lbs./sq.in.

Standard Two-Way Scrim
Tensile Strength: 220 lbs./sq.in.

Benefits of Steel Guard's Auto-Guard™ Curtain Walls:

- The only Auto-Body Curtains on the market with Steel Scrim's Tri-lateral scrim design for superior strength and durability
- Curtains meet the strictest codes for flame resistance: CFM, NFPA-701(required for limited finishing stations) and ASTM E-84 Class 1
- Resistant to mildew, harmful chemicals, and UV rays
- Protection from heat up to 200 degrees
- Cold crack resistance to – 20 degrees
- Easy Order Placement – Expert trained sales and customer service staff
- Quick Shipping – On stock and custom made sizes

## Design your Auto-Guard™ Curtain System in almost any configuration

Single Curtain

2-Sided Station

3-Sided Station

Prep Station | Parts Edging Area | Office | Metal Shop
Spray Booth | Paint Shop | Estimating Bay
Wash Bay | Welding Area

~~~~~ AutoGuard Curtain   ▪▪▪▪ Solid Wall

Use Auto-Guard™ Curtain Walls for the following applications:

- Prep Stations
- Paint Booths
- Estimating Bays
- Wash Bays
- Welding Areas
- Grinding & Sanding Areas

Auto-Guard™ Product Lines

AutoGuard™ Curtain Walls

Height	Part #
8'	AG SS T 08
9'	AG SS T 09
10'	AG SS T 10
11'	AG SS T 11
12'	AG SS T 12
13'	AG SS T 13
14'	AG SS T 14

AutoGuard™ Curtain Walls

Welding Curtains

Welding Curtains

Height	Part #
8'	WC SS T 08
9'	WC SS T 09
10'	WC SS T 10
11'	WC SS T 11
12'	WC SS T 12
13'	WC SS T 13
14'	WC SS T 14

Leather Welding Blankets

Sizes	Part #
3' x 4'	WB L 3x4
6' x 6'	WB L 6x6
Custom	WB L Custom

Leather Welding Blankets

Strip Curtains

Strip Curtains

| Overlap	Part #
8" Wld Th - .080 g Ag e	
50%	ScC.08.08.50
100%	ScC.08.08.100
12" Wld Th - .120 g Ag e	
50%	ScC.12.12.50
100%	ScC.12.12.100
16" Wld Th - .160 g Ag e	
50%	ScC.16.16.50
100%	ScC.16.16.100

4-Sided Station

Multiple Work Stations

AUTO-GUARD CURTAIN WALLS

Standard Accessories

Galvanized Steel Track with Nylon Roller Hooks

#2 Toothed Grommets

Hook and loop Velcro attachments

Zinc plated chain in hem

16 ounce Steel Scrim Vinyl

Optional Weld-View Transparent Materials

Yellow - Lightest, ideal when dim lighting obstructs work

Orange - Medium, blocks most ultraviolet radiation

Blue - Medium-High, blocks most ultraviolet radiation

Shade 8 - Darkest, provides excellent protection against very bright welding with minimal visibility

BLUE   WHITE   GREEN   YELLOW

BLACK   GRAY   RED

### Add-On Accessories

NEW
Auto-Guard™ Filter Panels
Easily filter in clean, dust free air into your paint booth operation.

Floor Sweep Panels
Keep dust, wash spray, paint, and chemicals, sealed in your work area.

Floor Mount D-Ring Attachments
Keep your curtain securely mounted to the floor from drafts in paint booth operations, or wherever powerful drafts are a problem.

Upper Valance Panels
Custom Curtain Valances seal in areas above the curtain from dust, debris, or harmful chemicals.

Magnetic Strip Attachments
Allow extra flexibility with quicker "opening and closing" of curtain panels.

Tie Backs
Velcro tie backs allow you to compress your curtain even more to allow maximum open floor space.

Optional Color Schemes
Design colorful curtain combinations by choosing the top, middle, and bottom color scheme of your choice.

Privacy Curtain Panels
Make a solid opaque Panel by deleting the optional window from your curtain system to keep work areas private.